

# Index

## A

Access  
queries, 10, 146, 191, 212, 220, 426–7  
query  
design view, 403  
types, 190, 236  
table design, 141  
tables, 10, 133, 136, 150, 426  
Access Data Object, 136–7, 148  
Access database, 136–8  
table, 267, 532, 658, 661  
Access DBMS, 10, 20, 136  
Access Relationships Window, 177  
Access Update, 593  
Access window, 136–8, 147, 152  
AccessDataSource, 544–7  
Access’s Database Window, 136  
Access’s Development Environment,  
135, 137, 139  
Access’s query Design View, 192  
Access’s Relationships Window, 176  
Action queries, 144, 148, 189–91, 212,  
215, 219–21  
Active Server Pages, 4, 506  
Add Connection, 384, 414–5, 533  
Add New Item, 285, 334, 450, 464, 486,  
509, 511, 518, 560, 578, 580, 628  
Add Query option, 399, 420, 473  
Add Reference, 643–4, 663  
Add Table, 424, 543  
Adding  
calculated fields, 191  
query tables, 424  
Adding User Control, 525  
Adding Validation Controls, 518  
Adding Web controls, 508

Aggregate functions, 203–5, 242–3, 246,  
464, 476, 571  
Anomalies, 93, 111, 113, 116, 118, 120,  
143, 197  
Application  
development process, 261, 273, 281,  
301, 385  
forms, 321, 337, 343, 378, 642, 649,  
653  
Arranging Controls, 349, 369  
Array size, 304, 311, 343  
Arrays, 10, 283, 304–5, 308  
multidimensional, 310, 317, 319–20  
one-dimensional, 308  
static, 311, 316  
two-dimensional, 308–10  
ASP tag, 536, 540, 545, 552, 625  
ASP Web page, 507  
ASP.NET, 502, 517, 676  
Associative entity, 49, 52–3, 55, 69, 70,  
106  
Attribute inheritance, 56, 58, 63, 69  
Attributes, 26, 34, 36–7, 71–2, 113–4,  
118, 122, 152, 176, 233, 263, 490,  
495  
derived, 37, 69, 70, 206  
discriminating, 65  
of entities, 34  
naming, 36  
of Relationships, 33, 51  
required, 56  
simple, 37, 70, 91–2  
single-valued, 37  
stored, 37, 70  
subclass discriminator, 104  
unique, 57–8, 69, 71, 82

AutoNumber  
data types, 154–6, 168  
and Number data type, 181  
AutoPostBack Property, 505, 511,  
513–5, 527–8, 549–50  
AVG, 242, 247–8  
**B**  
BackColor property value, 352  
Background attribute, 494  
BCNF, 109–10, 116, 120–2, 126  
Binary  
many-to-many relationship, 47, 97,  
100  
one-to-many relationships, 47, 49,  
97–9  
relationships, 41, 46, 49, 52–3  
Binding, 386, 397, 406  
Binding Windows controls, 380, 387, 407  
BindingNavigator control, 387  
BindingSource  
objects, 387, 395–7, 406, 413, 428,  
434, 442  
and TableAdapter object, 435  
Body, 494, 503  
tags, 488–9, 494  
Boolean  
condition, 293  
value, 303  
Bound Column, 164  
Boyce-Codd normal form, 109, 120–1  
Breakpoints, 313–4, 316  
Browser, 482–4, 488, 493, 495, 503, 588  
Button control, 269, 279, 325, 350, 356,  
372, 438, 474, 500, 514  
Bytes, 154–5, 282

- C**
- Calendar controls, 637
  - Candidate key, 86–9, 110, 114, 120–3
  - Cartesian product, 200, 239
  - Cascade Delete, 181–2, 185–6, 221
  - Cascade Update, 182, 185, 216
  - Char value, 355
  - Chart object, 461–3, 465, 470, 472, 666
  - Chart Options, 456–7, 462, 465, 470
  - CheckBox Control, 303, 350, 357, 363, 372, 504
  - CheckBox and RadioButton controls, 372
  - Checked
    - items, 364–5, 591
    - property, 289–90, 303, 357–8
  - CheckedItems collection, 365
  - CheckBoxList Control, 349–50, 363–5, 372
  - Code Debugging, 275–6, 312–3, 315
  - Color
    - attributes, 491
    - property, 525–7
  - Column
    - constraints, 234
    - data types, 152
    - names, 142, 151–2, 234–5, 434, 559
  - Columns
    - named, 27, 84, 659
    - primary key-foreign key, 199
  - ComboBox control, 350, 361–4
  - ComboBox's ValueMember, 406
  - Component tray, 377, 385, 387
  - Composite
    - attribute, 37–8, 52, 70–1, 91–2, 122, 125
    - key, 37–8, 93, 123, 127, 130–1
  - Concat function, 303
  - Conceptual database modeling, 23, 28
  - Concurrency Control and Recovery Services Concurrency, 21
  - Conditions, primary key-foreign key, 199
  - Configure Data Source option, 537, 543, 546, 548
  - Configure Data Source Wizard, 536–7, 540, 543–4, 546, 548, 550–1, 553
  - Configure TableAdapter objects, 380
  - Connection
    - object, 379–80, 407, 412–3, 416–7, 443–4, 608
    - string, 383–4, 414–6
  - Constants, 276, 278, 316
  - Constructor, 335–6, 344
  - Control
    - class, 352
    - flow, 269
    - objects, 263, 274, 670
    - structures, 286–9, 291, 293, 295, 297, 299, 316–7
  - Controls
    - background color Check Box, 528
    - binding, 387, 389, 413, 432, 435
    - data-driven, 569
    - field properties, 167
    - input, 671–2
    - key, 350
    - map, 652
    - multiple, 369
    - navigational, 384
    - selected, 369, 391
    - table properties, 167
    - up-down, 366
    - validating, 527
  - Count function, 211
  - Create Query in Design View, 145
  - Create query options, 193
  - Creating Access Tables, 149, 151, 153, 165
  - Creating Calculated Fields, 189, 206–7
  - Creating Parameterized Crystal Reports, 447, 472–3, 475
  - Criteria
    - row, 195–7, 201, 207, 209, 211, 217
    - user-specified, 420
  - Crosstab queries, 144, 210–2, 220–5, 227–9, 624–5, 627–8, 631
  - Crystal Report Primer, 447, 449, 451, 453, 455, 457, 459
  - Crystal Report Wizard, 629–30
  - Crystal Reports Gallery, 450–2, 464, 469, 561
  - Crystal-ReportViewer control, 447, 463, 473
  - CrystalReportSource Control, 564–5
  - Currency data type, 155–6, 168
  - Customizing Reports, 447, 461
- D**
- Data
    - modeling, record-based relational, 84
    - models, 13, 25–9, 34, 69
    - entity-relationship, 26, 28, 183
    - record-based, 26, 28–9
    - relation-based, 34
    - objects, 136, 138–9, 148
    - page, 452, 464, 561, 629
    - processing, simple, 7
    - provider drop-down list, 382
    - redundancies, 93, 109, 111–2, 116, 120, 143, 190, 197
    - rows, 144, 432–3, 435
    - source, 212, 381, 391, 396, 398, 413–5
    - type conversion, 283–4
    - types, 89, 143, 154–5, 201, 234, 277, 282, 284–5, 304
    - default, 152, 155
    - lookup, 155, 161
    - user-defined, 334
  - Data Definition Language, 231–3, 235–6, 246
  - Data attributes, 30–1
  - Data-bind ImageField, 546
  - Data binding, 379, 390–2, 396–7, 413
  - properties, 377, 390, 396, 403, 405–7
  - Data Connections, 382, 414, 533, 561
  - Data field, 24–5, 144, 150, 153, 155
  - properties, 143
  - selected, 143
  - Data-GridView control, 310, 388, 408
  - Data Source Configuration Wizard, 381, 384, 391, 412–5, 418, 433, 450, 549, 558
  - Data source drop-down list, 549
  - Data Sources Configuration Wizard, 381, 432–3
  - Data Sources Window, 380–1, 389, 391–3, 403–4, 407, 412–8, 423, 425–8, 432, 437, 444, 450, 468
  - Data structures, 84, 122, 617
  - Data Table, 425, 430, 432, 435, 468, 661
  - DataAdapter objects, 412–3, 568–9
  - Database
    - approach, 13–4, 18–9, 21–3, 29
    - connection, 267, 413–5, 443–4, 450, 532–3, 537, 569
    - setting, 594
    - design, 10, 25, 34, 93, 252, 258, 576, 675
    - conceptual, 26, 34, 91
    - physical, 28, 84, 677
    - process, 9
    - relational, 111
    - developers, 408, 448
    - entry, 612
    - field values, 201, 213, 451
    - files
      - compacting, 147
      - compress, 147

- export, 140
  - implementation, 34
  - index, 157, 233
  - management system, 7, 15, 18–9, 21–2, 28
  - normalization, 84
  - personnel, 15
  - programming, 532
    - language, 10–1
  - schemas, 25–6, 29, 143
  - systems, 16, 18–23, 28–9, 78, 81, 675
  - toolbar, 139–40, 160, 164
  - Database administrator, 18–21, 28
  - Database Anomalies, 83, 111
  - Database application development, 258, 378, 380, 384, 407, 675
  - Database Applications Overview, 377–9
  - Database View, 138–9, 141, 145, 193
  - Database Window, 137–8, 142, 145
  - DataColumns, 432–3, 443
  - DataGridView control, 309–10, 381, 384
  - DataGridView Control Properties, 398
  - DataMember property, 387, 395, 397
  - DataRelations object, 396, 432
  - DataRow, 432–4, 436, 439, 444
  - DataSet Designer, 380, 417–20, 422–3, 425, 430, 468, 473, 628
  - Dataset object, 379–80, 387, 413
  - Datasheet View, 141–2, 145, 150–1, 190, 195
  - DataSource property, 386, 395–7, 404–5, 408, 568
  - DataTable objects, 386–7, 403, 418, 432–7, 439, 443–4, 468
  - DataTextField property, 550
  - DataValueField property, 550
  - Date field, 24–5, 201
  - DateTimePicker Control, 349–51, 366–7, 372, 444
  - DBMS, 7, 10, 18–21, 148, 378, 532
  - DCL, 232–3, 246
  - DDL statements, 231–3, 235–6, 246
  - Debug, 258, 261, 266, 313–4
  - Decision
    - structures, 286–7, 316
    - support systems, 4–6, 9, 11–2, 200, 622, 675–7
  - Default values, 158, 235, 274, 280, 336
  - Defining relationships in Access, 175, 183
  - Degree of relationships, 34
  - Delete Queries, 189, 217, 219
  - Deleting Relationships, 184
  - Deletion anomalies, 111, 113, 116, 120, 122
  - Demand values
    - forecasted, 657
    - historical, 658
  - Design Environment, 447, 458, 461
  - Design Grid, 143, 146, 153, 194–5, 266, 403
  - Design View and Simple Query Wizard, 192
  - Design Window, 259, 273
    - of Visual Studio IDE, 534
  - Designer window and TableAdapter Configuration Wizard, 628
  - DetailsView ASP tag, 555
  - DetailsView Control, 552–7, 568–71, 605, 623–4, 626, 631
  - Disadvantages of Database approach, 22
  - Disjoint constraints, 33–4, 63–6, 70
  - Display
    - data-bind images, 546
    - lookup value, 163
    - property, 519–20, 528
    - reports, 476
    - text, 351, 463
    - value field, 163
  - Display Member Set, 406
  - DisplayGroupTree, 463
    - property, 466, 471
  - Displaying Data
    - in Individual Windows Controls, 377, 388–9
    - on
      - Web page, 11
      - Windows form, 379–80, 443
  - Displaying Data-Bind Images, 531, 545, 547
  - Displaying Data Using Existing, 411, 426–7
  - Displaying Text Data, 487
  - DisplayMember property, 359, 361, 403–6
  - DisplayToolBar, 463
  - DML statements, 231–3, 236–7, 244–6
  - Do-Loop structures, 293, 295, 297–9
  - Do-Loop-Until, 293, 296, 318
  - Do-Loop-While, 293, 318
  - Do-Until-Loop, 293, 296, 318
  - Do-While-Loop, 293
  - Domain, 9, 14, 85, 89
  - Draw referential integrity arrows, 96
  - DropDownList and AccessDataSource tags, 550
  - DropDownList ASP tag, 550
  - DropDownList control, 361, 548–52, 566–9, 581–2, 591
    - changed, 591
    - column, 589
    - and Keyword TextBox, 581
    - value, 591
  - DSS, 4–9, 11, 622, 677
    - applications, 5–8, 11–2
  - Duplicate, 17, 94, 96, 160
  - Dynamic arrays, 311, 340–1, 347
- ## E
- Edit Fields option, 555
  - Edit Items option, 512
  - Edit queries in DataSet Designer option, 417
  - Edit Relationships, 177, 179–85
  - Enforce Referential Integrity, 180
  - Enhanced entity-relationship diagram, 34
  - Enhanced Entity-Relationship Modeling, 33, 55
  - Enhanced Entity-Relationships, 56, 58, 69, 103
  - Entities
    - associated, 52–4
    - instances of, 41–3, 69
    - subclass, 56, 58–9, 63, 69, 103–4
    - weak, 55, 70, 105–6, 125
  - Entity
    - constraints, 89, 90, 122
    - instances, 35, 37–8, 45, 47, 49, 69, 70
    - sets, 35, 37, 40, 43, 69
    - subtypes, 71, 81–2
    - types, 35–7
      - associated, 37
      - common, 36
      - regular, 91
      - strong, 54–5, 69, 70, 105
      - weak, 33–4, 54–5, 69, 70, 105
  - Entity-Relationship Modeling, 33
  - ErrorPage, 517
  - Essential Text Formatting, 481, 487, 489, 491
  - Eval function, 559–60
  - Event
    - handlers, 233, 246, 517, 528, 626, 661, 669
    - subroutine, 270, 591, 646
  - Events, default, 269–70

- Evolution of Database systems, 21
  - Excel, 155, 165, 659, 663–4, 677
    - application, 663, 669, 672–3
    - charts, 656, 658, 661, 666, 674
    - file, 165, 659–61, 663, 666, 674
    - functions, 656, 658–9, 661, 664, 674
    - objects, 656, 663, 666, 674
  - Excel Sheet, 165, 658–9, 661, 664, 666–8, 672–3
  - Excel Solver, 656, 666, 668–9, 673–4
  - Excel spreadsheet, 656, 658, 661, 674
  - Exception Handling, 321, 338–9, 341
  - Exceptions, 338–41, 343–4, 367, 437, 439
    - run-time, 313, 317, 322
  - Execute database queries, 380
  - Execute Query, 400, 403, 544
  - Expert Wizard, 448, 451, 456, 461, 463, 476, 563
  - Exploring Database Tables, 534
  - Exploring Query Toolbar and Menu, 197
  - Exploring Relationships Toolbar and Menu, 178
  - Exploring Tables, 135, 141
  - Exploring Visual Studio, 257–9
  - Expression Builder, 159, 197, 207–8
- F**
- Field data types, 149, 153–4, 167
  - Field Properties, 143, 153, 155, 157–61, 163–4, 234
  - Field Validation Rule property, 168
  - Field values, look-up, 161
  - File-based
    - approach, 13, 16–8, 29
    - systems, 16–8, 28–9
  - Filter Fields, 457, 461, 564
  - Font
    - property value, 352
    - tag, 491
  - For-Each-Next loop structure, 298
  - For-Next loop
    - nested, 309–10
    - structure, 297–8, 312, 318
  - Forecasting Methods, 657–8, 666–7
  - ForeColor properties, 369, 526
  - Foreign keys, 87–90, 94, 96, 100, 153–4, 162, 180, 215, 233, 235–6, 392, 440
  - Form, pop-up, 428–9, 444–5
  - Format fields, 462
  - Formatting Charts and Fields, 461
  - Function Name, 208, 242
  - Function procedure, 321, 324–5, 327–30, 332, 334–5, 344–8
  - Functional dependencies, 84, 109, 113–6, 118, 120, 122, 130–1
    - partial, 116–7, 121–3, 129
  - Functions
    - built-in, 159, 201, 206–8, 282
    - checking, 282, 284–5
    - substring, 303
  - Fundamentals of Database systems, 675
- G**
- Generalization and Specialization
    - process, 33, 60–1
  - GetChanges, 436
  - Getting Help on Compressing Database Size, 147
  - Good Database Design, 9, 675
  - GridView, 542, 547, 568–9, 583, 624–5
  - GridView Control, 535–7, 539–41
  - GridView control, data-bind, 535–6, 540, 542
  - GridView Picture field, 547
  - GroupBy, 203, 205, 236
  - GroupBy Operation, 189, 203–6
  - GUI, 4–7, 10–1, 25, 378–9, 666, 671
- H**
- Hardware, 24–5, 482
  - HeaderText property, 547–8, 556–7
  - Hiding Tables in Relationships
    - Window, 184
  - Hyperlinks, 154–5, 481, 493–4, 502–4
  - HyperText Markup Language, 481–5
- I**
- IDE, 10, 258–9, 261, 267–8, 270–1, 273, 279, 281, 457
    - windows, 261–2, 264, 271, 273, 511
  - Identifier, 37–8, 52–3, 55, 59, 86, 91
    - partial, 105–6
  - If-Then-Else, 276, 287
    - structure, 287–8, 290
  - Image
    - files, 495, 546
    - tag, 495–7
  - ImageField, 547–8, 553, 555–6, 560
  - ImageField ASP tag, 548, 557
  - ImageField entry, 547
  - ImageField Properties, 547
  - ImageField tag, 557
  - ImageField's properties pane, 556
  - Img, 495, 503–4
  - Import, 140, 165, 170, 594
  - Import Wizard, 165–6
  - Index
    - unique, 181, 183
    - value, 359
      - image list, 368
  - INDEX statement, 233, 235
  - Indexed property, 157, 160
  - IndexOf function, 303
  - InitForm subroutine, 646
  - Input mask, 156–8, 167–72
  - Input Mask Wizard, 157–8, 167, 170
  - Input TextBox, 273–4
  - InputBox, 278–81, 285, 305, 308, 310–1, 327
    - function, 278–81
  - Insert Table, 500, 511
  - Insertion anomalies, 111–3, 116, 120, 122
  - IntArray, 304
  - Integer, 282
    - number, 327, 506
    - random, 346
    - values, 280, 284, 334, 341, 359
      - user-specified non-zero, 325
  - Integrity constraints, 24, 28, 86, 122–4
  - IntelliSense, 271, 281
  - Interface, 4, 19, 21, 142, 144, 258, 350, 378, 506
  - Internet, 7, 11–2, 19, 21, 73, 481–3, 485, 503–4
    - database applications, 20
  - Internet Explorer, 354, 482–4
  - Internet Information Server, 483
  - Invalid length values, 345
  - IsNumeric function, 285
  - IsPostBack method, 515–6, 527–8
  - Items collection, 307–8, 359, 363
  - ItemTemplate
    - field, 589
    - tag, 559
- J**
- Join, 144–5, 198–9
    - condition, 199, 200, 240
    - inner, 199, 200, 239–40, 242
    - of Multiple tables, 189, 201, 411, 423, 425, 531, 542–3
    - operation, 189, 197–202
    - query, 239, 468
    - result, 198–200, 205, 242
    - types, 177, 200
  - Join Properties, 200

**K**

Key attribute, 37–9, 55, 69–71, 73, 85  
 composite, 38  
 foreign, 89, 97  
 non-primary, 115, 117, 122  
 partial, 55, 105  
 primary, 115–6  
 valid, 38

Key Name, 234–5

KeyPress event, 354, 356

Keys, composite primary, 93, 96, 100, 102, 105, 115

Knowledge of database design, 10, 258

**L**

Label control, 263, 269–70, 353, 474, 508, 518, 526  
 properties, 264

Labels and LinkLabel Controls, 349, 353

LAN, 482

Language  
 complete database, 232  
 standard query, 136, 232

Layout of Relationships Window, 182

Line chart, 456, 467

Linking Access Tables, 176

LinkLabel Controls, 349–50, 353–4, 642

List of Access queries, 145

ListBox Control, 306–7, 499, 512, 528, 606  
 multi-select, 350  
 option, 528

ListBox Web Control, 512

ListItem Collection Editor, 512–3

Load event, 269, 459, 515  
 handler, 515–6  
 and IsPostBack Property, 505, 515

Logical  
 database design, 19, 24, 27–8, 84, 91, 108–9  
 errors, 312–3, 316, 338

Lookup  
 fields, 162, 164  
 tab of Field Properties, 164

Lookup Wizard, 161–3, 167–9, 171–3, 403  
 page, 162–3

Loop structures, 286–7, 293, 314, 316

**M**

Main  
 method, 370  
 procedure, 370, 372, 641–2

Make-Table queries, 190–1, 220

Many-to-many relationship, 34, 42, 52, 96, 100–1, 106, 176, 183, 185–7

MapPoint, 640, 643  
 control, 640–1, 644, 647–8, 650

MapPoint Reference, 639, 641, 643

MapPoint software, 640, 645, 652

Master page, 576–81, 598, 601–3, 605, 624, 636–7  
 designed, 580  
 file, 581  
 option, 578, 580  
 template, 578  
 uses, 605

MasterPageFile attribute, 581

MAX, 242, 247–8

MaxDate and MinDate properties, 366

Menu  
 and Database toolbar, 139  
 user controls, 642–3, 646

Menu control, 600–3, 642

Menu Database, 227

MessageBox, 275, 278–81, 290, 293, 296, 305, 307, 309, 316–9, 327, 336, 367, 440, 442

MessageBoxIcon.Information, 280–1

MessageBox.Show, 278, 280, 287–8, 292, 318, 323

Metadata, 13–6, 18, 22, 28–9, 486, 503

Microsoft Access, 4, 7, 10, 136, 148, 150, 152, 675

Microsoft Access Databases, 675

Model  
 entity-relationship, 26, 29, 33–4, 55, 70, 84  
 relation-based, 34

Modules, 10, 322, 331–3, 343–4, 450  
 design program, 322  
 standard, 331–2, 344, 370

MS Access, 10, 19, 403, 607, 609, 656, 675

Multi-Dimensional Arrays, 275, 308–10

Multi-Select ListBox, 360

Multi-Select ListBox Control, 360

Multi-valued attribute, 37, 65, 92–3, 104, 110, 122–3, 125

Multiple tables, join of, 440, 468, 476, 532, 542

**N**

Name attribute, 59

NET  
 architecture, 379, 412–3, 448

database applications, 379  
 objects, 271, 273, 322, 379, 412, 435, 444, 448, 656, 661, 674

New Project, 259–60, 354, 381, 450

NF, 109, 116, 126–31  
 relations, 126–8, 130–1

Normal form, 108–10, 116, 120, 122–4, 126, 128  
 fifth, 109–10

Normalization, 93, 108–9, 116, 118

NULL, 88–90, 95, 112, 122, 180, 199, 234–5, 244

NumericalUpDown control, 667–72

**O**

Object Bar, 138–9, 141, 145, 150, 152–3

Object-based  
 data models, 9, 26, 28–9, 34  
 entity-relationships, 84  
 model, 26, 28, 34

Object Browser, 257, 271–3

Object Browser Window, 272

OleDbCommand object, 566–7

OleDbDataReader object, 566–7

Operators, 200–1, 239, 270, 276, 292, 300  
 comparison, 200  
 logical, 200–1, 239, 300, 317

Optimization Page, 599, 609, 615, 617, 619

Optimization solution, 619, 672, 674

Optimize, 8, 600–1, 609, 615, 620

Options dialog box, 140–1

Order Confirmation, 577–8

Ordered lists, 492, 503  
 of fields, 504

Outer join, 199, 223

Overview  
 of Database development, 10  
 of Principles of Good Database Design, 9

**P**

Page  
 .aspx, 549, 552, 564  
 background color, 528  
 footer, 461, 529, 577–8, 598  
 grouping, 454, 463–4, 469, 562  
 header, 461, 523, 577–80, 598, 624  
 load, 584, 626  
 multiple GridView control, 540  
 navigation menu, 578, 598  
 new, 509, 511, 522, 529, 544, 560, 580, 598, 637

- Page (*cont.*)
    - pop-up, 637
    - property, 643
    - redirected, 523
    - start-up, 509–10
    - stored procedures, 543, 546
    - tag, 517, 527
    - template, 486
    - wizard, 452, 537–9, 544, 561
  - Page Backgrounds, 481, 494
  - Pane, 400, 454, 464, 469, 562
  - Parameter SQL query, 590
  - Parameter value source, 551
  - Parameterized queries, 398–400, 418, 420–1, 472–3, 476–7, 548, 552, 568–9
  - Parent-child relationship, 393, 395
  - Participation
    - partial, 63–5, 67
    - rule, total, 63, 70
    - total, 63–5
  - Participation Constraints, 63
  - Pass-By-Reference, 322, 330, 344
  - Pass-by-Value, 322
    - option, 330
  - Physical database design and Creation, 24
  - PictureBox control, 265–6, 269–70, 274, 371, 391–2, 407
  - Pie chart, 15, 456, 464
  - Portal Page, 599, 601, 609
  - Portfolio Management and
    - Optimization, 8, 11, 573, 600, 602, 604, 606, 608, 610, 612, 614, 616, 618, 620
  - Power, 300–1, 506, 527, 560, 676
  - Preview Data, 401
  - Preview query results, 401, 403
  - Primary key, 87–90, 113–4, 152, 164, 180, 199, 233–4
    - and Functional dependencies, 114
    - values, 89, 90, 122, 180, 215–6, 218
  - Principles of Good Database Design, 9, 675
  - Procedure call, 315, 323, 330, 343
  - Procedures
    - callee, 330
    - caller, 330, 333, 343–4
  - Process
    - of logical database design, 27, 91, 108
    - top-level, 379–80, 384, 407
  - Processing, approximate query, 677
  - Products, quantity of, 74
  - Programming, object-oriented, 4, 322, 331
  - Projection, 191–3, 196, 198–9, 201–2, 206, 220, 236
    - operation, 191, 193–5, 198
  - Properties
    - design-time, 273
    - dock, 466, 471, 473
    - image, 371, 391–2
    - run-time, 273
    - values, 508–9
  - Properties Design Grid, 197
  - Properties Window, 263–4, 307, 369–70
  - Property procedures, 322, 324, 337, 344, 346
  - Provider attribute, 416
- Q**
- Query
    - cross-tab, 451
    - in Datasheet View, 145
    - in Design View, 146
    - execution, 145, 208, 401, 607
    - language, 232
    - multi-table, 423, 542
    - nested, 241
    - outer, 241
    - parameters, 220, 399, 401–2, 424
    - performance, 157
    - string, 522–3, 529
    - type, 197, 213–4, 217, 219, 420
  - Query Builder, 400–1, 403, 407, 419–20, 424–5, 430, 543–5
    - option, 473
  - Query-by-Example, 144, 190, 220
  - Query Design Grid, 206
  - Query Properties View, 197
  - Query Type Name, 197
  - Query Type Table Pane, 197
  - Query Wizard, 224
- R**
- RadioButton, 350, 499, 503
    - controls, 288–90, 357, 359
  - RadioButtonList, 624
    - control, 624–5
  - Random number generation, 320, 346
  - RandomNumber, 346
  - Reconfiguring SQL Query, 531, 536–7, 539
  - Record Selection page, 457, 463, 564
  - Recordset, 191, 206, 212, 220
  - Redirect, 493, 522, 578, 588, 592, 598, 610, 641
  - Redirect Display, 522
  - Referential integrity, 177, 180–1, 183, 185–7, 215, 221
    - arrows, 104, 106, 179
    - constraints, 89, 90
  - Regular entity, 91–7, 100–1, 103, 106
    - relations, 96, 100–1
  - Regular Expression Editor, 520
  - RegularExpressionValidator controls, 518, 520, 527
  - Relation, 27, 29, 84
    - decomposition, 93, 197
    - normalize database, 197
    - subclass entity, 104
    - weak entity, 105
  - Relational
    - databases, 10, 18, 86, 141, 232, 432
    - keys, 83–4, 86–7, 114, 392
    - schema, 24, 84–5, 141, 179, 190
  - Relational Data Integrity, 84, 122
  - Relational Data Integrity Constraints, 83–4, 86, 89
  - Relational Data Modeling, 24, 27–8, 34, 83–90, 116, 122–3, 150, 183
  - Relational Data Structure, 84, 122
  - Relationship
    - cardinalities, 34, 43, 73
    - instance, 39, 44–5, 47, 49
    - matching, 39
    - lines, 179–80, 182, 184–5, 200, 202, 234
    - set, 39, 40
    - types, 39, 93, 177, 181, 183, 185
  - Relationship Window, 144, 181
  - Relationships, 39, 177, 179, 199, 218, 392, 478
    - defined, 176
    - attribute, 113
    - button, 177
    - indeterminate, 183
    - layout, 184
    - one-to-many, 34, 41, 45, 52, 54, 177, 182–3
    - one-to-one, 34, 41, 47, 59, 183, 187
    - one-to-one, 103
    - optional, 43
    - primary key-foreign key, 89, 180, 215
    - selected, 179
    - super-type, 71
    - toolbar, 177–9, 185
  - Relationships Window, 175–86, 199, 576, 600, 622
    - and Enforce Referential Integrity, 186

- Removing Fields and Tables in Design View, 196
  - Rename Column option, 152
  - Renaming Query Tables and Fields Using, 238
  - Repair Database, 147
  - Repeater control, 557–60, 569, 571
  - Repeater Control, 531, 557, 559
  - Report
    - blank, 451
    - data source, 476
    - design, 450, 472, 476, 627, 629
    - existing, 451, 472
    - fields, 457, 461, 476, 564
    - file, 459–61, 609, 627, 629, 631–2
    - footer sections, 461
    - header, 457, 461–2, 465, 470
      - section, 461, 463, 476
    - new, 451
    - object, 460, 474–5, 608, 629, 632
    - query, 472
    - sections, crystal, 447, 460
    - source, 460, 565, 629, 632
  - Report Expert, 476, 561
  - Report Style, 457, 465, 470, 476, 564
  - Report title, 461
  - Report's Data Source, 629
  - Reports display charts, 477
  - Required property, 157, 159
  - RequiredField-Validator control, 518–20, 527
  - RequiredFieldValidator, 519, 596
    - and RegularExpressionValidator controls, 518
  - Row Source, 163–4
  - Rows
    - alternating, 394–5
    - collection, 310, 433, 436
    - new, 167, 233, 433, 439, 631
    - selected, 586, 614, 625, 631
    - sort, 196, 203
  - Rows Student Array, 309
  - Rules, disjoint, 64–5, 70–1
  - Run-time, 270, 316–7, 473, 476, 566, 609
  - Runners, 69, 172–3
  - Runtime errors, 338, 344
- S**
- Schemas, 24–6, 28, 91, 627, 631
    - conceptual, 24–5, 28
    - internal, 24–5, 28
  - Search Criteria Builder, 400, 421–2
  - Search Form, 377, 398–9, 401, 645
  - Second normal form, 109–10, 116–8, 121–2, 128
  - Select-Case
    - statement, 319, 627, 629
    - structure, 290–3, 299, 318, 347, 582
  - Select Queries, 189, 191, 193, 195, 201
  - Select SQL query, 386–7
  - Selected
    - field data, 210–1, 220
    - items, 306, 359–61, 363–5, 374, 514
    - value, 406, 671–2
  - SelectedIndex, 306–7, 359, 361
    - property, 306, 359, 361, 541
  - SelectedIndexChanged event, 362–3, 528, 582, 591, 626
  - SelectedItems, 306–7, 359–61
    - properties, 306
    - and SelectedIndex methods, 363
  - SelectedValue, 403, 406, 625–6
    - property, 405–6, 568
  - SelectIndexChanged event, 317, 607
  - Selection
    - multiple-field, 164
    - operation, 192–3, 195–6, 204, 208, 541
  - Server Explorer, 261, 267, 379, 414, 534, 569
  - Server Explorer Window, 267, 273, 413–6, 444, 531–5, 542
  - Servers, 226–7, 253, 267, 273, 483–4, 569
  - Services, database-related, 267
  - Session variables, 522, 576–7, 588
    - and Master page, 576, 598
  - Set Action Query Types, 213
  - Simple Query Wizard option, 192
  - Single Exponential Smoothing, 657–8, 661, 664
  - Solution Explorer Window, 261–2
  - Sorted property, 360, 363
  - Sorting operations, 191–3, 196, 198–9, 396, 540
  - Specialization, 56, 60–3, 69, 76–7, 79
    - process, 33–4, 56, 60–1
  - Specialized entities, 60–1
  - SQL, 86, 136, 232, 403
    - field constraints, 235
    - query
      - parameterized, 417
      - single, 387
      - in TableAdapter Query Configuration Wizard, 421
  - SQL Statement, 231–2, 234–45
  - Standard tab, 508–9, 512–3
  - Start page, 258–9, 510, 514, 525, 559, 565, 568
  - Start-up form, 285, 372
  - Statements
    - declaration, 277–9, 331, 344
    - executable, 278
    - exit, 299
  - Static Pages, 502
  - String, 301
    - operations, 207, 302
    - operators, 275, 300–4
  - Structured Query Language, 86, 136, 232
  - Structured Relations, 110
  - Styles and Items properties, 585
  - Subclass
    - hierarchy, 33, 66–7, 70
    - relationships, 56–61, 63–5, 103–5
  - Subclass Discriminators, 65, 70, 104
  - Subclasses, 33, 56–61, 63–7, 69, 70
  - Subroutine, 270, 276–7
    - procedure, 324–5, 327–30, 332–3, 335, 343–7, 370
  - Substring, 302–3
  - Summarized Fields, 454, 464, 469, 562
  - Super key, 86–8, 114, 122
    - minimal, 87–8, 114
  - Superclass, 33, 56–61, 63–7, 69, 70, 103–4
    - entity, 104
    - type, 57, 61, 64, 104
    - instance, 63–5, 70
    - relation, 104
  - Syntax errors, 312, 316, 338
  - System
    - developers, 18–21
    - object-oriented, 22
    - relational, 21–2
    - stores, database management, 233
- T**
- Table
    - adapter, 413, 460, 466–7, 473, 656
    - attribute, 233
    - constraints, 234–5
    - fields, 157, 160–1, 166, 193–4
    - index, 157, 160, 233
    - Table Design View, 153, 184
    - Table Pane, 146, 193–4, 199, 403, 424
    - Table properties, 149, 166, 511
    - TABLE SQL statement, 234
    - TABLE statements, 232–4
    - Table Validation Rule and Table Validation Text, 167

- TableAdapter, 385, 387, 397, 399, 413, 417
    - and BindingSource objects, 413
    - and DataTable objects, 468
    - new, 389, 423–4, 430, 468
  - TableAdapter Configuration Wizard, 380, 417, 419, 423, 430, 468, 628
  - TableAdapter Object, 379–80, 387, 407, 413, 417, 444, 468, 473
  - TableAdapter Query Configuration Wizard, 380, 420, 473
  - Tables in Design View, 142
  - Task Pane, 137–8, 148, 152
  - Template ImageField, 556
  - Text
    - data, 234, 292, 487–8, 496–8, 503, 546
    - format, 15, 588, 640, 647–8
    - italic, 484
    - property, 269–70, 279, 283–4, 305, 307, 310, 346, 390, 474, 512–3, 522, 550
    - selected, 306, 359, 361
    - and Value property, 512
  - Text Align, 264
  - TextAlign, 355–6
  - TextBox
    - control
      - input validation, 355–6
      - value, 375
    - controls, 292, 298, 354–5
    - and ListBox control, 361
  - Third normal form, 109–10, 118–22, 124, 128
  - Time attributes, 102
  - ToolBox, 261–3, 273, 466, 643–5
  - ToolStrip control, 384, 386–7
  - ToString method, 359, 361, 365
  - Total
    - query, 204, 207, 210
    - row, 197, 203–5, 207, 211
  - Transformation
    - of binary many-to-many relationship, 100
    - of multi-valued attribute, 93
  - Transformed
    - binary many-to-many relationship, 101
    - ternary relationship, 103
  - Transforming Binary Many-to-Many Relationships, 100
  - Transforming Binary One-to-Many Relationships Figure, 99
  - Transforming Binary One-to-One Relationships, 97
  - Transforming Binary Relationships, 97
  - Transforming Composite Attributes, 91
  - Transforming Multi-Valued Attributes, 92
  - Transforming Regular Entities, 91
  - Transforming Ternary Relationships, 101
  - Transforming Unary Many-to-Many Relationship Figure, 95
  - Transforming Unary One-to-Many Relationships Consider, 94
  - Transforming Unary Relationships, 94
  - Transforming Weak Entities, 105
  - Transitive dependencies, 110, 115–6, 118–23, 126–7, 129–31
  - TreeView control, 350–1, 368–9, 372
  - Try-Catch structure, 339
  - Tuple, 84, 122, 141, 148, 150, 233
  - Two-Stage database update
    - propagation process, 435, 444
- U**
- Unary
    - many-to-many relationship, 46, 95–6
    - one-to-many relationship, 45, 94–5
    - one-to-one relationship, 44
    - relationship, 33, 40, 44–6, 69, 94, 96
  - Unordered
    - bulleted list, 492
    - lists, 492, 503
  - Update
    - anomalies, 111, 113, 120, 122, 129–31
    - cascaded, 222–3, 225, 228
    - criteria, 213, 245, 247
    - and Delete Queries, 221
    - methods, 437, 440
  - UPDATE query, 420
  - Update SQL
    - command, 437
    - statements, 231, 236, 245, 443
  - URL, 155
    - parameter, 610–1
    - query string, 529
  - Use RequiredFieldValidator controls, 527
  - User-defined Web controls, 505, 523–7, 529
  - User controls, 506, 525, 639–44
  - User-friendliness, 5, 187
  - User interface, 6, 11–2, 350, 371–2
    - clear, 5
    - friendly graphical, 4
    - graphical, 4, 6, 7, 369, 379, 498
    - well-designed, 350
  - User Interface Design, 676
  - Using Total Row, 189, 203, 205
  - Using Validation Rule and Validation Text Properties, 158–9
- V**
- Validate Button, 518–9, 521
  - Validation
    - controls, 518–9, 521, 527–8, 577, 596, 598
    - rule, 157, 159–60, 167–8, 170, 235
    - and Validation Text Properties, 159, 166
  - Validation Text, 157, 159, 166–7
  - Value
    - column, 314
    - field, 164, 210–1, 549
    - option, 156, 211
    - property, 366–7, 512
    - source, 551, 553–4
  - Value Member Set, 406
  - ValueChanged event, 669, 671
  - ValueMember property, 404–5
  - Values
    - concatenate, 305
    - constraint, 668
    - domain, 491
    - double, 284, 301
    - foreign key, 89, 90, 161, 180, 215, 239
    - item, 307
    - key, 181
      - attribute, 37
    - logical, 300
    - numeric, 88, 244, 283
    - passing, 522, 527
    - property, 264, 337, 352, 474, 501
    - random, 346
    - valid, 56, 336
  - VARCHAR, 234, 244
  - View Detail, 578, 583, 585–6
  - Visual Basic, 4, 20, 232, 255
  - Visual Basic Classes, 321, 334–5
  - Visual Basic Data Types, 275–6, 282–3



- Visual Basic Modules, 321, 331–3
  - Visual Basic Statements, 275–7, 322–4, 343
  - Visual Programming, 262, 273
  - Visual Studio, 10, 258
- W**
- Watch Windows, 314–6
  - Weak entities, 105
  - Web, 11–2, 154, 258, 481–3, 485, 503
    - application, 11–2, 506, 514
    - browser, 8, 482–5, 515–6, 577, 598
    - controls, 514–5, 518, 523, 532, 602–3
      - on Web form, 11
    - user-defined, 523, 527
  - Web-based
    - crystal report, 531, 560–1, 563, 565, 569–71
    - database
      - application development, 258
      - applications, 14, 258
  - Web-enabled
    - database applications, 378
    - decision support system, 5, 7, 11
  - Web form, 506, 509, 525, 528–9
  - Web Page, 487, 495, 549, 551
  - Web server, 483, 485, 506, 532
  - Windows
    - application, 10–1, 258–9
    - development, 9–11, 255, 260, 675
    - control, 262, 269, 271, 378
    - and BindingSource, 391
    - form, 10, 259, 262
    - and Web-based database applications, 258
  - Wizard, 414, 430, 455, 457, 463
  - World Wide Web, 7, 10, 482, 503
  - WWW, 7, 10–1, 482